DEWALT®

PERFORM PROTECT™

THE SCIENCE OF SAFETY

PERFORM & PROTECT

CORDLESS

CONSTRUCTION

PROMOTIONS

ONSITE OFFERS

ISSUE 2 APRIL 2013

www.DEWALT.com

GUARANTEED TOUGH.®

PERFORM PROTECT™

In 2007, **DEWALT** set itself the challenge of creating the most comprehensive system of the safest, highest performing professional construction tools in the world. This is the **Perform & Protect** system, made up of products that meet strict criteria in one or more of the following core safety-focused areas: **Vibration; Control; Dust.**

VIBRATION
Up to 50% lower vibration

CONTROL
Unique and innovative torque control features

DUST
Industry leading dust extraction solutions

When you see the **Perform & Protect** shield, you know that the product is dedicated to your safety without compromising on performance or DEWALT's "**guaranteed tough**" durability.

VIBRATION

Vibration exposure can cause a range of conditions collectively known as hand-arm vibration syndrome (HAVS). Other conditions include carpal tunnel syndrome and vibration white finger.

When the **Perform & Protect** shield is awarded for VIBRATION, it is guaranteed that the Tri-Axial Vibration levels have been reduced, increasing usage time without reducing performance.

D25602K
45mm SDS-Max Combination Hammer
50% Lower Vibration
- 50% reduced vibration compared to previous model
- Floating rear handle
- Dampened side handle

DWE4599
230mm Low Vibration Heavy Duty Angle Grinder
4.5 m/s²
- Autobalancer gives low vibration (4.5m/s² triaxially) resulting in greater end user comfort
- Anti-vibration side handle

DCN690M2
18V XR Li-Ion Cordless Framing Nailer
LOW VIBRATION
- 4.0 Ah battery packs
- Low Vibration
- Class leading vibration figures
- Non-mar contact tip

XLR®
THE NEW EXTENDED DEWALT® XLR® SERIES...
An optimised head design delivering improved durability and reduced vibration. A 4 flute helix to improve drilling speed through faster debris removal. These features combine to give improved performance and durability in the hardest concrete.



PERFORM & PROTECT

CONTROL

When drilling or cutting there is a chance that the tool could jam. This could cause damage to the tool or cause personal injury. When the **Perform & Protect** shield is awarded for CONTROL, it is guaranteed that additional innovative torque control safety features have been incorporated into the design of the tool.

D25762K
Complete Torque Control.
A patented 2-step clutch allows the user to select one of two settings for different diameter drill and core bits providing the maximum level of protection in all drilling applications.

DWD221
Low Speed Electronic Rotary Drill
- Motor lock control feature automatically switches off the unit in case of jammed drill bits to prevent motor overload.

D28133
125mm 1100 W Electronic Angle Grinder
- Electro-mechanical clutch reduces the "kickback" transmitted to the operator if the cutting disc jams.

DUST

Airborne dust inhalation can lead to a number of long-term health conditions such as silicosis and chronic obstructive pulmonary disease (COPD).
When the **Perform & Protect** shield is awarded for DUST, it is guaranteed the potential of inhaling dust is reduced to give a cleaner and safer working environment.

DWV902M
- M Class specification for maximum protection
- AirLock™ system allows quick, secure, rotatable connection to power tool
- Dual filter design with automatic cleaning system uses reverse airflow to clear each filter whilst maintaining constant suction

DWH052
Demolition Dust Extraction System
- Compatible with all DEWALT demolition hammers and breakers
- Impact resistant dust nozzle and flexible hose
- Collects hazardous dust from surface grinding

DWH050K
- Large Hammer Dust Extraction - Hole Cleaning



Visit **www.DEWALT.com** to see the full Perform & Protect system

NOW AVAILABLE IN THE XR RANGE

The new 4.0AH battery pack is ideal for high load repetitive applications & demanding environments

- Compatible with all XR tools of the same voltage
- State of charge indicator on all 18V packs
- Same size and weight +33% more runtime than a 3.0AH battery

4.0 AH

XR LITHIUM ION

Available June 2013

NEW XR RADIO
PREMIUM SOUND IN THE TOUGHEST CONDITIONS

Ultra durable cage and shock absorbers deliver extreme protection
Upgraded stereo speaker system provides clearer sound at high volume
Powered by any XR battery to maximise portability

DAB+

	DCR016	DCR017
Multi-voltage charger (10.8 – 18V) & USB charging	✗	✓
Tuner	AM/FM	FM/DAB+
Audio input	Aux Only	Aux Only
AC outlet	✗	✓
Audio device storage	✗	✓

NO GAS
THE WORLD'S 1ST BATTERY POWERED 90mm FRAMING NAILER

NEW DCN690N

High performance – fire 2 nails per second thanks to unique Bump Mode function
Low running costs – no gas cartridges required, and no regular cleaning
XR® battery platform – swap batteries over with 20 tools in the XR® LI-ON 18V range

X2 Sec | 50-90mm | 350mm | 50°C -15°C | 4.0 AH

Voltage/Capacity	18V/4.0 AH	Nail length softwood hardwood	50-90mm 50-63mm
Magazine capacity	Up to 55 nails	Paper collated nail type	Clipped head or offset
Magazine angle	30-34°	Impact Energy	105 Joules
Nails per charge	600+	Weight	4.2 kg
Nail diameter	2.8-3.3mm		

TOUGH OUTSIDE INTELLIGENT INSIDE

NEW XR Metal Cutting Circ Saw

Intelligent design facilitates faster working

- **Better Visibility** – LED work light & clear guard
- **Longer runtime** – 4.0AH battery and PM58 motor
- **Ease of Use** – Balanced unit with rubberised grip

DT1212	
Diameter	140mm
Bore	20mm
Teeth	30

DT1212 Metal Cutting Saw Blade (Fits DCS373) – Cuts Metal, Sheet Metal, Metal Pipe, and Rebar*

DCS373			
Battery	4.0 AH	Depth of Cut	43mm
Blade Diameter	140 x 20	Weight	3.8kg
Power	460 Watt		

900 Watt Angle Grinder Engineered to Last

- Dust ejection system removes majority of debris from the air which passes over the motor, preventing abrasion and tracking
- Slim Body grip – comfort for sustained repeatable use

D28113

D28113	
Weight	2.05kg
No Load Speed	11800rpm
Guard Size	115mm

The NEW Extreme cutting and grinding discs feature:

- A higher density of grain resulting in the disc working longer
- An industrial grade grain making the grains remain effective longer
- An optimised resin bond to maintain the cutting or grinding edge longer

The combination of these features give increased performance and productivity.

NEW DWS778 ULTRA COMPACT 250mm SLIDE MITRE SAW

DWS778	
Power Input (W)	1850
Blade Speed (RPM)	4900
Blade Diameter (mm)	250
Blade Bore (mm)	30
Bevel Capacity (DEG)	48
Cross Cut (mm)	305
Depth of Cut (mm)	85
Weight (kg)	17.2



CAPACITY

- Impressive cutting capacity – meet all your application needs without compromise
- Depth of cut - 85mm
- Cross cut - 305mm
- Bevel Capacity - 48 degrees

DUST EXTRACTION

- One Port dust extraction for increased dust removal rate
- Airlock™ compatible



ACCURACY

- Precision cast aluminium base
- Fence keyed into the base for long-term accuracy
- Adjustable stainless steel mitre plate
- Fast and solid cam-lock mitre system



PORTABILITY

- Best in class volume to weight ratio
- Only 17.2kg
- Internal slide bars to reduce bulk



EASE OF USE

- XPS system shows clear visible cut-line on the workpiece & illuminates surrounding work area
- Set-up cuts faster and ensures 100% accuracy
- Integrated Mitre stops at 15, 22.5, 30, 45 degrees

Compatible with all DEWALT leg stands and dust extraction systems

XR 18V NOW WITH A 4.0 AH-BATTERY

4.0 AH DCD985M2
18V XRP XR LI-ION CORDLESS HAMMER DRILL DRIVER

XRP, 13 mm ratcheting keyless chuck, 3 speed settings, 22 position adjustable torque control, LED with delay, multi position side handle, 2 batteries and multi-voltage charger.

SPEND YOUR TIME DRILLING, NOT CHARGING.

18V XRP ™ Drill with 22 torque. Metal ratcheting chuck. 3 speed settings and speed all metal transmission. 2 x 4.0 Ah batteries and multi-charger.
DCD985M2 - Our best Hammer Drill Driver.

1/2" BRACKETS

4.0 AH DCF880M2
18V XR LI-ION COMPACT IMPACT WRENCH

1/2" (12.7 mm) square socket, LED with delay, steel belt clip, strong magnetic bit holder, 2 batteries and multi-voltage charger.

4.0 AH DCF885M2
18V XR LI-ION COMPACT IMPACT DRIVER

Intelligent trigger, 6.35 mm 'drop in' keyless hex driver, LED with delay, steel belt clip, magnetic bit holder, 2 batteries and multi-voltage charger.

LATEST GENERATION OF HAMMER DRILL DRIVERS

4.0 AH DCD980M2
18V XRP XR LI-ION DRILL DRIVER

XRP, 13 mm ratcheting keyless chuck, 3 speed settings, 22 position adjustable torque control, LED with delay, steel belt clip, 2 batteries and multi-voltage charger.

4.0 AH DCD780M2
18V XR LI-ION COMPACT DRILL DRIVER

13 mm single sleeve keyless chuck, 2 speed settings, 14 position adjustable torque control, LED with delay, steel belt clip, 2 batteries and multi-voltage charger.

4.0 AH DCD785M2
18V XR LI-ION COMPACT HAMMER DRILL/DRIVER

13 mm single sleeve keyless chuck, 2 speed settings, 14 position adjustable torque control, LED with delay, 2 batteries and multi-volt charger.

DCD740C1
18V XR LI-ION 10 MM RIGHT ANGLE DRILL

2 speed settings, 10 mm single sleeve keyless chuck with automatic spindle lock, multi grip trigger, LED with delay, steel belt clip, 1 battery and multi-voltage charger.

4.0 AH DCF889M2
18V XR LI-ION HIGH TORQUE IMPACT WRENCH

Max. torque 418 Nm, 1/2" (13 mm) square drive, 2 batteries and multi-voltage charger.

4.0 AH DCF895M2
18V XR LI-ION BRUSHLESS IMPACT DRIVER

3 speed settings, embedded Hex design, brushless motor, 3 LED 'Halo' ring, 2 batteries and multi-voltage charger.

PERFORM PROTECT
BRUSHLESS

4.0 AH DCN690M2
CORDLESS FRAIMING NAILER

18V XR Li-Ion Framing Nailer featuring BRUSHLESS motor technology and XR 4.0Ah battery packs. BRUSHLESS motor technology offers the power to fire a 90mm Ring Shank nail in Soft Wood and 63mm into Hard Woods. The sequential operating mode allows for precision placement and the bump operating mode provides the user with production speed. 2 batteries and multi-voltage charger.

NEW

4.0 AH DCG412M2
18V XR LI-ION GRINDER

Intelligent trigger, quick change wheel release, 2 position side handle, 2 batteries and multi-voltage charger.

DCL040
18V XR LI-ION LED PIVOT LIGHT

LED Bulb producing 110 Lumen output (10,000Hr Life) with a 2 Zone light pattern, head pivots more than 90 degrees vertically with ratchet lock. Battery and charger sold separately.

4.0 AH DCH214M2
18 VOLT LI-ION DEDICATED CORDLESS HAMMER

3 mode, best in class vibration 6.9m/s², multi-position side handle, quick release SDS plus toolholder, quick release 13mm 3 jaw chuck, 2 batteries and multi-voltage charger.

XR LITHIUM ION
18V LITHIUM ION

4.0 AH DCH213M2
18V LI-ION DEDICATED CORDLESS ROTARY HAMMER

3 mode, best in class vibration 6.9m/s², multi-position side handle, 2 batteries and multi-voltage charger.

4.0 AH DCS380M2
18V XR LI-ION RECIPROCATING SAW

Intelligent variable speed trigger, lock-off switch, lever-action keyless blade clamp, pivoting adjustable shoe, four-position blade clamp, 2 batteries and multi-voltage charger.

4.0 AH DCS331M2
18V XR LI-ION JIGSAW

3-position pendulum action, keyless blade change system, dust port, dust blower, anti-scratch shoe cover, 2 batteries and multi-voltage charger.

4.0 AH DCS391M2
18V XR LI-ION CIRCULAR SAW

Intelligent trigger, spindle lock for quick and easy blade change, 2 batteries and multi-voltage charger.

NEW

4.0 AH DCS373M2
18V XR LI-ION METAL CUTTING CIRCULAR SAW

3700 rpm, intelligent trigger, spindle lock, lock off switch, electronic motor brake, 2 batteries and multi-voltage charger.

WIN A MITRE SAW

Send your best Guaranteed Tough image to us and you might have the chance to win a Compound Slide Mitre Saw. The image must contain at least one DEWALT product. Send the image to annika.folkesson@sbdinc.com by 30 April 2013. Mark the email with "Competition Iceland".

XPS CROSS CUT POSITIONING SYSTEM

305MM COMPOUND SLIDE MITRE SAW WITH XPS:
XPS Shadow line cut indicator provides fast accurate alignment of the blade while illuminating the work piece for increased productivity no adjustment required.

PROMOTIONS

DWE550

55 MM DOC COMPACT CIRC SAW

1200 W motor, cutaway inner guard gives improved line of sight to cutting line, efficient dust extraction port to minimise airborne dust particles when connected to a dust extraction unit.

NEW

DWS520KR

55 MM DEPTH OF CUT HEAVY DUTY PLUNGE SAW + 1.5M GUIDE RAIL

Anti kickback function, variable speed, enclosed guard gives a 90% dust extraction capability, 1.5m Guide rail included.

NEW

DWE560

65 MM DOC COMPACT CIRC SAW

1350 W motor, cutaway inner guard gives improved line of sight to cutting line, efficient dust extraction port to minimise airborne dust particles when connected to a dust extraction unit.

PLUNGE SAW BLADE

DT1086	165 mm	48 T
DT1087	165 mm	54 T
DT1088	165 mm	54 T
DT1089	165 mm	18 T

PLUNGE SAW BLADE

DT1090	165 mm	48 T
DT1091	165 mm	40 T

CIRCULAR SAW BLADE

DT1144	165 mm	18 T
DT1145	165 mm	30 T
DT1149	184 mm	18 T
DT1151	184 mm	30 T

DW744XP

250 MM TABLE SAW

Cast aluminium table top design. Overload protection system. Soft start electronics. Quick bevel lock with large scale for easy adjustments. 610 mm of rip capacity.

DE7400

WORKSTATION

Large wheels, folding legs, lightweight aluminium construction, stand design allows portability when the table saw is attached to the stand which increases productivity.

DW745RS

250 MM HEAVY DUTY LIGHTWEIGHT TABLE SAW

250 mm blade diameter, 410 mm rip capacity, 1700 W motor, overload protection system, rolling saw workstation inclided.

DWV902L / DWV902M

DUST EXTRACTOR

Wet and dry pick up with variable suction control, dual filter cleaning system, telescoping handle and large rear wheels. L- and M-Class.

NEW

DWV9210

DUST CONNECTION SYSTEM CONSTRUCTION KIT

Adapter for the construction.

DWV9220

DUST CONNECTION SYSTEM CONSTRUCTION KIT

Adapter for wood.

AIRLOCK

AIRLOCK - KEEPS THE WORKPLACE AND LUNGS FREE OF DUST.

Dust in the workplace is not only harmful and annoying, it is also completely unnecessary. Airlock also allows you to easily connect your saw, sander, grinder or hammers to a vacuum cleaner that takes care of the dust and ensures that your work will be both enjoyable and safer. Compatible with most tools on the market.

Scan the QR code with your smartphone to view a movie that demonstrates how easy it is to create a dust-free work environment with Airlock.

PROMOTIONS

NEW - SEE COMPACT SLIDE MITRE SAW, DWS778 ON PAGE 7

DW770
216 MM CROSSCUT MITRE SAW

216 mm blade diameter, 1800W motor, internal rail design for huge cutting capacity, base and fence have been machined to meet the accuracy requirements of the most demanding applications.

THE SAW THAT SET A NEW STANDARD

MANY HAVE TRIED TO COPY IT. No one has succeeded. DEWALT DW770 is one of world's best selling saws, loved by the users and copied by many of our competitors. But no one has come close to DW770's combination of power, precision and ease. DW770 is a descendant of the original saw, Elu PS174, which was launched in 1985. Since then it has gotten better with each new version.

DWS780
305 MM COMPOUND SLIDE MITRE SAW WITH XPS

XPS Shadow line cut indicator provides fast accurate alignment of the blade while illuminating the work piece for increased productivity no adjustment required.

DW712N
216 MM SLIDE COMPOUND MITRE SAW

1600W motor, innovative grooving stop allows adjustment of the cutting depth for grooving and rebating applications.

DW717XPS
250 MM SLIDE COMPOUND MITRE SAW

XPS Shadow line cut indicator, innovative grooving stop allows the adjustment of the cutting depth for grooving and rebating applications.

D27113
305 MM TABLE TOP MITRE SAW

Combination saw with crosscut and ripping capabilities, XPS worklight gives outstanding cut line visibility fast repeatable cuts no adjustment required.

D27107
305 MM COMBI-NATION SAW

Electronic pack provides massive overload protection and constant cutting speed for optimal cutting performance, integral leg design.

DW743N
250 MM COMBI-NATION SAW

Rapid tool free transformation from a saw bench to a mitre saw, three way extractor connection.

CIRCULAR SAW BLADE EXTREME

DT4310	216 mm	24 T
DT4320	216 mm	48 T
DT4370	216 mm	60 T
DT4286	216 mm	80 T

DT4321	250 mm	30 T
DT4322	250 mm	40 T
DT4351	250 mm	60 T
DT4287	250 mm	80 T
DT4330	250 mm	36 T

DT4340	305 mm	48 T
DT4331	305 mm	60 T
DT4288	305 mm	80 T

DE7023
MITRE SAW WORKSTATION

Lightweight aluminium construction, 1.7 metre beam extends to support up to 3.83 metres for use with large workpieces.



DE7033
COMPACT MITRE SAW WORKSTATION

1.1 metre beam, extends to 2.5 metres.

1. DE7024 Work support
2. DE7025 Mounting bracket
3. DE7027 Roller work support
4. DE7028 Extension arm support
5. DE7029 Increased width work support
6. DE7030 Increased length mitre brackets

- VISIT MOTEGI JAPAN MOTOGP
- VIP HOSPITALITY X2
- YAMAHA RACING TEAM FACTORY TOUR
- 1 WEEK SIGHTSEEING IN TOKYO

TO ENTER VISIT:

www.DEWALT.com/WIN

YAMAHA RACING TECH3 OFFICIAL SPONSOR

Terms and Conditions apply. See website for full details.

SINDRI - VIÐARHÖFÐA 6
110 REYKJAVÍK
TELEPHONE: 575 0000 – FAX: 575 0069

www.DEWALT.com

The yellow and black colour scheme is used on DEWALT Power Tools and Accessories as a trademark. DEWALT reserves the right to change any deal at any time without notice. Deals available while stocks last.

Your DEWALT Dealer:

Be the first to see product news and special offers from DEWALT...
Register at MYDEWALT to be sent onsite offers by email.
Simply go to **www.DEWALT.com/MYDEWALT**

MY DEWALT®

MP16579-EU